


On macOS (Intel)

1.
Open the VirtualBox website. Go to <https://www.virtualbox.org/> in your computer's Internet browser. This is the website from which you'll download the VirtualBox setup file.
2.
Click Download VirtualBox. It's a blue button in the middle of the page. Doing so will open the downloads page.
3.
Click macOS (Intel) hosts. You'll see this link below the "VirtualBox 7.x.x platform packages" heading. The VirtualBox DMG file will begin downloading onto your computer.
4.
Open the VirtualBox DMG file. Go to the location to which the DMG file downloaded and double-click the file. Doing so will open the VirtualBox installation window.
5.
Navigate through the installation prompts. Do the following:
 - Click **Next** on the first three pages.
 - Click **Yes** when prompted.
 - Click **Install**
 - Click **Yes** when prompted.
6.
Click Install when prompted. Doing so will allow VirtualBox to begin installing on your computer.
7.
Click Finish when prompted. It's in the lower-right side of the window. Doing so will close the installation window and open VirtualBox.
8.
Download the virtualbox version of the simulator.
9.
From Virtualbox, type CTRL-I and select the virtualbox version of the simulator.
10.
When prompted, check the box to reinitialize the MAC address of all network cards.
11.
Click Import.
12. Start Virtualbox


13.Start the GranSim virtual machine.

14.Logon as Guest. No password is required.

15.Open a terminal window, Applications | Accessories | Terminal



- OR -



This will display the contents of file README.txt.

To run the model, in the terminal window do the following:

1. To run the model with default options and a default parameter file, type: **'./run-model'** and hit return.
2. The program initialization takes about 10 seconds and will print some initial status information.
3. Once initialization is complete, a user interface window will open, along with a window showing the simulation environment. When you've selected the desired simulation settings in the user interface window, click 'Start Simulation' in the bottom left to start the simulation.
4. To exit the program type the letter 'q' in either the main window or the graphics window.
5. Type **'./model -h'** for the model command line options.
6. To run with a different parameter file or different options, type:
`./model -i NameOfParameterFileToUse.xml MORE_OPTIONS` and hit return, where *MORE_OPTIONS* is replaced with any additional command line options.